

Pro:Centric[™] Single Tuner[™] Direct LED TV

with Integrated Pro:Idiom® and *b*-LAN

▶ 60LP645H

60" class (59.58" measured diagonally)

▶ 55LP645H

55" class (54.64" measured diagonally)



RAISING THE STANDARD OF FINE SERVICE

Whenever guests find comfortable accommodations that suit their needs, LG Hotel TVs have been a part of leaving a positive impression. LG's continuing commitment towards achieving the highest standard of excellence enables us to deliver the best solutions and products in the industry.

A TRUE DEDICATION TO MUTUAL SUCCESS

LG's focus on the success of your business and your guest's satisfaction has led to true partnerships based on reliability, trust and excellence.

MAXIMIZING THE GUEST EXPERIENCE

As hotel guests are increasingly demanding their at-home viewing experience, greater customization and flexibility of their TV service, the same needs have risen for service providers. LG hotel TVs provide the built-in capability to support customized applications and services through a wide array of system integrators and service providers.

Features

No need for printed materials for the guests

Providing incredibly easy-to-use content delivery and a flexible communications interface, LG opens up new and exciting possibilities in guest room interactivity. The ability to quickly and easily add or update information creates real savings in printing costs and allows a more timely presentation of pertinent and valuable information to guests. Guests will be able to locate and enjoy available television entertainment with the channel selection guide application, check on the daily weather, and review the available hotel amenities.

Reduced waste, save cost and time

Less hardware and no printed materials for the room mean less carbon footprint for the environment and cost and time saving for the businesses. Furthermore, it helps to make the guest rooms look tidy.



FREE Interactive Electronic Program Guide Service for Pro:Centric® TVs!



Plan Highlights

If your property has purchased or plans to purchase LG's Pro:Centric® TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric® server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG)

FREE program guide service runs until Dec. 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or e-mail info@lgsolutions.com for more details.



Memorable Guest Experience

LP645H is designed to provide memorable guest experience such as ability for the guests to view their own contents that are stored on their portable devices and its swivel stand that provides excellent maneuverability for left and right viewing.





Welcome Screen

Having a warm greeting message with your business area name and its logo on the TV when they enter the space will let them feel more welcome and cared for.





Eco Friendly

LG Hotel TVs has excellent energy saving features such as Intelligent Sensor, Dynamic Power Savings, and Static Power Savings. The hotels can enjoy cost savings while supporting efforts of Green initiative.





The plug and play function with compatible Remote Jack Pack enables guests to view media from their portable devices on the TV screen seamlessly.

Compatibility:











MP3 | Digital Camera | Mobile | Laptop




when it's green.

LG is committed to improving product development, manufac-turing and usage to meet the demand for products with environmentally friendlier features. Our televisions have technologies to reduce power consumption and in return increase cost savings per room.


EcoSmart

- · Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- **CEC Compliant** Meets the Appliance Efficiency Regulations of the California Energy Commission.
- **RoHS Compliant** Meets directive on restriction of hazardous substances.
- Energy Star 6.0 Qualified Meets current reduction requirements of energy consumption.

60LP645H











55LP645H











Rear Jack Panel





Side Jack Panel

Anti-Theft System

The Anti-theft system provides security to prevent TVs theft. Consisting of a Kensington Lock, a Credenza and Lock Down Plate.

Kensington Lock

LG Hotel TVs are protected by the reliable solution the Kensington Lock

NEW! Reinforced Metal Stand

- Full metal reinforced stand and also neck to improve sturdiness, durability and
- safety.
 Provides (± 20/45/90 degrees) Swivel

Lock Down Plate with Credenza Hole

 Lock the TV firmly to the TV stand for added security and help deter theft. (Mounting plate, security bolts, nuts and screws

are included)







Pro:Centric™ Single Tuner™ **Direct LED TV**

with Integrated Pro:Idiom® and b-LAN



60" class (59.58" measured diagonally)



55" class (54.64" measured diagonally)



PANEL Mode Famel Technology Panel Echnology Panel Size 60" Class (59:58") (measured diagonally) 55" Class (54:64") (measured diagonally) Direct LED Native Resolution 1920 x 1080 (FHD) Dynamic CR 1,000,000		M. I.I.	COLDCAELL	EEL DC 4ELL	
Panel Size	PANEL	Model	60LP645H	55LP645H	
Native Resolution		0,			
Dynamic CR 1,000,000 178*/178* 188*/178*/178* 188*/178*/178* 198*/178*/178*/178* 198*/178*/178*/178*/178*/178*/178*/178*/17					
Viewing Angle (HtAV) 178 ° /178 ° Response Time 9ms Frame Rate 120Hz 60Hz			; <i>,</i>		
Response Time		,			
Frome Rate			·		
Analog		•			
Digital Yes (ATSC / Clear QAM/VSB)	DDOADCASTING				
VIDEO XD Engine Yes 24p Real Cinema (24p55/22R Idown) Eye Care (Anti Dazzling) Yes		U			
24p Real Cinema					
Page	VIDLO				
AUDIO Audio Output Speaker System Infinite Sound Clear Voice II Yes Pro:Centric RF(1/2Tuner) HCAP EzManager Remote Diagnostic Simplink (HDMLCEC) HTNG Pro:Idiom SI Compatible (TVInik Frotocol) B-LAN Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out RIP Compatibility USB RIP Compatibility USB USB I Compatibility USB I Cotten Single ended Type(CRD,L+,R+), IVW with 8Ω) RIP Interface RIP Compatibility USB USB2.0 (Media Host) Noving Picture Audio Codec USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Multe Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Ves		(24p 5:5/2:2 Pull down)	•		
Speaker System 1 Way 2 Speakers Infinite Sound Yes Clear Voice Yes Y		,			
Infinite Sound Clear Voice II Pro:Centric Pro:Centric RF(1/2Tuner) HCAP EZManager Remote Diagnostic Simplink (HDMI-CEC) HTNG Pro:Idiom SI. Compatible (TVuink Protocol) B-LAN Hotel Mode/ PPDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out RJP Interface RJP Compatibility USB Moving Picture Playbock (SD/HD/Plus HD) Picture Audio Codec USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Multe Smart Energy Soving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Ves Compatibility C	AUDIO				
Clear Voice II Yes Yes Pro:Centric Yes RF(1/2Tuner) Yes Tuner)			, ,		
Pro:Centric RF(1/2Tuner)					
RF(1/2Tuner) HCAP EZManager Remote Diagnostic Simplink (HDMLCEC) HTNG Pro:Idiom SI Compatible (IYUlink Protocol) b-LAN Hotel Mode/ PDM /Installer Menu IR Out (IY Link Tuner) External Speaker Out RIP Compatibility USB Moving Picture Rlayback (SD/HD/Plus HD) Picture Audio Codec USB Cloning One Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Vides Ves Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes Yes (1 Tuner) FGEM / Flash Fisch Flash					
HCAP EZManager Remote Diagnostic Simplink (HDMI-CEC) HTNG Yes HTNG Yes (1.3) Pro:Idiom Yes SI Compatible (TVinik Protocol) b-LAN Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out RIP Interface RIP Compatibility USB Hoving Picture Ployback (SD/HD/Plus HD) Picture Ployback (SD/HD/Plus HD) Picture Audio Codec USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Ves Camercial Grade Ves Camercial Grade Ves RP (Flash Yes (ISB) Yes (INB) Yes (INB) Yes (MPI protocol) Yes (MPI protocol					
EzManager Remote Diagnostic Simplink (HDMI-CEC) HTNG Pro:Idiom SI Compatible (TVLink Protocol) b-LAN Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out Single ended Type(SRD,L+,R+), TW with 8Ω) RJP Interface RP Compatibility USB Moving Picture Playback (SD/HD/Plus HD) Picture Audio Codec USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Smart Speaker Ves (Nariable/Fixed/Line Out, 3.5mm, Stereo, Single ended Type(GRD,L+,R+), TW with 8Ω) Ves (RJ45, HDMI) RJP Interface RJP Compatibility USB2.0 (Media Host) USB2.0 (Media Host) Divx HD Picture Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM USB Cloning Ves Ves USB Cloning Ves	FEATURES		, ,		
Remote Diagnostic Simplink (HDMI-CEC) HTNG Yes (1.3) Pro:Idiom Yes (1.3) Pro:Idiom Yes (SI Compatible (TVLink Protocol) B-LAN Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out RIP Compatibility RIP Compatibility USB Moving Picture Playback (SD/HD/Plus HD) Picture Audio Codec USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes (USB) Yes (USB) Yes (USB) Yes (USB) RIP Totocoll RIP					
Simplink (HDMI-CEC) HTNG Yes (1.3) Pro:Idiom Yes SI Compatible (TVLink Protocol) b-LAN Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out Single ended Type(CRD,L+,R+1), 1W with 8Ω) RJP Interface Yes (RJ45, HDMI) RJP Compatibility USB Moving Picture Playback (SD/HD/Plus HD) Picture Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM USB Cloning Welcome Screen (Splash Image) Auto Off/Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes SIngle anded Type(CRD,L+,R+1), 1W with 8Ω) Yes (MPI Jaccia) Yes (RJ45, HDMI) Yes (RJ45, HDMI) CEC), G-Link (HDMI-CEC) USB2.0 (Media Host) USB2.0 (Media Host) Divx HD HD Picture JPEG AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM Yes (LCM) Welcome Screen (Splash Image) Auto Off/Auto Sleep Yes Smart Energy Saving Yes Kensington Lock Yes Credenza/Security Screw Hole Lock Down Plate Commercial Grade					
Pro:Idiom SI Compatible (TVLink Protocol) b-LAN Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out RIP Compatibility USB Moving Picture Playback (SD/HD/Plus HD) Picture Audio Codec Audio Codec Audio Codec Audio Codec Audio Codec Single onder Jesse (LCM) Audio Slannel Map Logical Channel Map Multi IR Code Wes (ILCM) Message Auto Off /Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza / Security Screw Hole Lock Down Plate Commercial Grade Yes (MPI protocol) Yes (RJ45, HDMI CEC), G-Link (HDMI-CEC) USB (ILCM, 3, HDMI CEC), G-Link (HDMI-CEC) USB (Jesse) Ves (RJ45, HDMI) RIP (MPI protocol) Yes (RJ45, HDMI CEC), G-Link (HDMI-CEC) USB (Jesse) Yes (RJ45, HDMI) RIP (MPI protocol) Yes (RJ45, HDMI protocol) Yes (RJ45, HDMI) RIP (MPI protocol) RIP (MPI pr		•	, ,		
SI Compatible (TVLink Protocol) b-LAN Hotel Mode/PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out Single ended Type(GRD,L+,R+), 1W with 8Ω) RJP Interface RJP Compatibility USB Woving Picture Playback (SD/HD/Plus HD) Picture Audio Codec USB Cloning One Channel Map/Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off/Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza / Security Screw Hole Lock Down Plate Commercial Grade		HTNG			
(TVLink Protocol) b-LAN Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out Single ended Type(GRD,L+,R+), 1W with 8\Omega) RIP Interface RIP Compatibility USB Woving Picture Playback (SD/HD/Plus HD) Picture Audio Codec USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Screw Hole Lock Down Plate Commercial Grade Ves Ves Commercial Grade Yes Ves Ves Commercial Grade Yes Ves Ves Commercial Grade Yes Ves Commercial Grade Ves Ves Ves Commercial Grade Ves Ves Ves Commercial Grade Ves Ves Ves Ves Commercial Grade Ves Ves (Melia Turb With Sure, A.A.C., Mpeg, MP3, PCM Ves (Melia Host) Ves (Media Host) Ves (Medi		Pro:Idiom	Yes		
Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out Single ended Type(GRD,L+,R+), 1W with 8Ω) RJP Interface RJP Compatibility USB Woving Picture Playback (SD/HD/Plus HD) Picture Audio Codec Audio Codec Audio Codec Audio Cohannel Map/ Logical Channel Map Multi IR Code Wes (UCM) Auto Off /Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenzo/ Security Screw Hole Lock Down Plate Commercial Grade Yes (Mariable/Fixed/Line Out, 3.5mm, Stereo, Single model Fixed/Line Out, 3.5mm, Stereo, Single Maple (Fixed/Line Out, 3.5mm, Stereo, Single ended Type(GRD,L+,R+), 1W with 8Ω) Yes (RJ45, HDMI) LG, Teleadapt (RJ45, HDMI CEC), G-Link (HDMI-CEC) USB (John CEC), G-Link (HDMI-CEC) USB (John CEC), G-Link (HDMI-CEC) USB (John Home) Divx HD Divx HD PEG Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM Yes (LCM) Yes (LCM) Yes (LCM) Yes Ves Velcome Screen (Splash Image) Auto Off /Auto Sleep Yes Yes Yes Yes Yes Yes Yes Yes Video Mute Yes Credenza/ Security Screw Hole Lock Down Plate Commercial Grade		SI Compatible (TVLink Protocol)	Yes (MPI protocol)		
PDM / Installer Menu IR Out (TV Link Tuner) External Speaker Out Single ended Type(GRD,L+,R+), 1W with 8Ω) RJP Interface RJP Compatibility USB USB2.0 (Media Host) HD) Picture Playback (SD/HD/Plus HD) Picture Audio Codec USB Cloning One Channel Map/Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off/Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza/ Security Screw Hole Lock Down Plate Commercial Grade Yes Ves Ves Ves Commercial Grade Ves (Variable/Fixed/Line Out, 3.5mm, Stereo, Ves (MPI Jack) Ves (RJ45, HDMI) (RJA5, HDMI CEC), G-Link (HDMI-CEC) USB2.0 (Media Host) Ves (ICM) PEG Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM Yes (ICM) Ves (ICM) Ves (ICM) Ves (ICM) Ves (Ves Ves Ves Ves Ves Ves Ves Ves Ves Ves		b-LAN	Yes		
External Speaker Out Single ended Type(GRD,L+,R+), 1W with 8Ω) RJP Interface RJP Interface RJP Compatibility USB USB Moving Picture Playback (SD/HD/Plus HD) Picture Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off/Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Ves Ves Ves Ves Ves Commercial Grade Ves Ves Commercial Grade Ves Ves Commercial Grade Ves Ves Ves Ves Commercial Grade Ves Ves Commercial Grade Ves Ves Ves Commercial Grade Ves Ves Ves Ves Commercial Grade Ves Ves Ves Ves Ves Ves Ves Ves Commercial Grade Ves Ves Ves Ves Ves Ves Commercial Grade Ves		Hotel Mode/ PDM /Installer Menu	Yes		
Out 'Single ended Type(GRD,L+,R+), 1W with 8Ω) RJP Interface Yes (RJ45, HDMI) RJP Compatibility USB USB2.0 (Media Host) Moving Picture Playback (SD/HD/Plus HD) Picture Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Yes Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes Ves Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes Vas (RAM) Ves (LCM) Yes Ves Ves Ves Ves Ves Ves Ves Ves Ves V		IR Out (TV Link Tuner)	Yes (MPI Jack)		
RIP Compatibility USB Moving Picture Playback (SD/HD/Plus HD) Picture Audio Codec USB (Companibility) USB (Dollar) Picture Audio Codec AC3 (Dollay Digital), EAC3, AAC, Mpeg, MP3, PCM USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza /Security Screw Hole Lock Down Plate Commercial Grade Moving Picture JPEG AC3 (Dollay Digital), EAC3, AAC, Mpeg, MP3, PCM Yes (LCM) Wes (LCM) Yes (LCM) Yes Yes Yes Yes Yes Yes Yes Ye		External Speaker Out			
USB USB2.0 (Media Host) Moving Picture Playback (SD/HD/Plus HD) Picture Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Vivx HD AUSB2.0 (Media Host) JPEG AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM Yes (LCM) Yes (LCM) Yes (LCM) Yes Yes Yes Yes Yes Yes Yes Ye		RJP Interface			
Moving Picture Playback (SD/HD/Plus HD) Picture JPEG Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM USB Cloning One Channel Map/ Logical Channel Map Multi IR Code Yes Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Divx HD H					
Playback (SD/HD/Plus Divx HD			USB2.0 (Media Host)		
Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM USB Cloning Yes One Channel Map/ Logical Channel Map Multi IR Code Yes Welcome Screen (Splash Image) Auto Off /Auto Sleep Video Mute Yes Smart Energy Saving Yes Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM Yes (LCM) Yes (LCM) Yes Yes Yes Yes Yes Yes Lock Down Plate Commercial Grade		Playback (SD/HD/Plus	Divx HD		
USB Cloning Yes One Channel Map/ Logical Channel Map Multi IR Code Welcome Screen (Splash Image) Auto Off/Auto Sleep Yes Video Mute Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes Yes Yes Yes Yes Yes Yes Y					
One Channel Map/ Logical Channel Map Yes (ICM) Multi IR Code Yes Welcome Screen (Splash Image) Yes Auto Off /Auto Sleep Yes Video Mute Yes Smart Energy Saving Yes Kensington Lock Yes Credenza/Security Screw Hole Yes Lock Down Plate Yes Commercial Grade Yes					
Multi IR Code Yes Welcome Screen (Splash Image) Yes Auto Off /Auto Sleep Yes Video Mute Yes Smart Energy Saving Yes Kensington Lock Yes Credenza/Security Yes Screw Hole Lock Down Plate Commercial Grade Yes			Y	'es	
Welcome Screen (Splash Image) Yes Auto Off/Auto Sleep Yes Video Mute Yes Smart Energy Saving Yes Kensington Lock Yes Credenza/ Security Screw Hole Yes Lock Down Plate Yes Commercial Grade Yes					
Splash Image Tes			Yes		
Video Mute Yes Smart Energy Saving Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes		(Splash Image)	•		
Smart Energy Saving Yes Kensington Lock Yes Credenza/Security Yes Screw Hole Yes Lock Down Plate Yes Commercial Grade Yes					
Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes					
Credenza/Security Screw Hole Lock Down Plate Commercial Grade Yes		0, 0			
Screw Hole Lock Down Plate Commercial Grade Yes			Y	es	
Commercial Grade		Screw Hole			
			Y	'es	
			Y	'es	

	CABI
	REQU LISTI
	UPC POW
EC)	POW
	WARR
CM	REMO PANEL COMPA (RJP)
	COMPAINTERAL SYSTEI (SEPAF SET-TO BE REC

INTERFACE	Model	60LP645H	55LP645H	
(Side)	HDMI In	1	Side	
	USB (2.0)	1	Side	
INTERFACE	RF In	1	Rear	
(Rear)	AV In	1	Rear	
(Near)	Digital Audio Out	1 (Optical)		
	(Coaxial / Optical)	* * - *		
	HDMI/HDCP Input	2 Rear		
	RGB In (D-sub 15pin) - PC	1 Rear		
	PC Audio Input	1 Rear		
	RS-232C (D-Sub 9pin)	Yes (Service)		
	RJ45 (RJP interface)	1 Rear		
	External Speaker	1 Rear (3.5mm phone jack)		
	Out			
	MPI Jack	1 Rear		
CABINET	Bezel Width (off Bezel) (mm)	19.9mm(T/L/R), 24.5mm(B)		
	With Stand	53.5" x 33.5" x 11.7"	49.2" x 31.1" x 11.7"	
	Weight	58.0 lbs.	46.7 lbs.	
	Without Stand	53.5"×31.0"×2.6"	49.2" × 28.5" × 3.1"	
	Weight	53.4 lbs.	42.1 lbs.	
	Carton	65.0" x 34.6" x 8.9"	61.0"×33.1"×8.3"	
	Weight	70.5 lbs.	59.5 lbs.	
	Swivel	Fixed	Yes (± 90°)	
	Color	Black with	Hairline finish	
	VESA™ Standard Mount Interface	400mm × 400mm		
	Flame Retardant	Yes (Back Cover only)		
REQUIRED	Safety		FCC, NOM	
LISTINGS	RoHS	COL, OL,	Yes	
	Energy Star 6.0		Yes	
UPC	Lifelgy Sidi 0.0	7 19192 91573 2	7 19192 91571 8	
POWER	Power Source		0V, 50/60Hz	
	Watts (Typical)	97.6W	80.3W	
	Stand-by		.5W↓	
WARRANTY	2-Year Limited Wa	rranty (Parts/Labor)		
REMOTE JACK PANEL COMPATIBILITY (RJP)	G-LINK Location with telegadapt Kerpitry Your World Connected*			
COMPATIBLE INTERACTIVE SYSTEMS (SEPARATE SET-TOP BOX MAY BE REQUIRED)	SONIFI COMMISSION CONTROL	Enseo swisscom	Guestiek Happratury it solumons Nitv Quadriga SirectStreams	
	acentic 📱	RODMLINX* M. COM SOLUT	infovalue STSTREAMS	
	LE) FULL	.⊮p Pro:Gentric <u> </u>	in the control of	



The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for models 55LP645H and 60LP645H are \$16 and \$20.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy." $^{\rm 1}$

¹FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).

LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

SPEC_55_60LP645H_041349_PR

All screen images are simulated. Dimensions and weights are approximate. Design, specifications, and features subject to change without notice.

USB USB USB When Harris

@ Copyright 2013 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp.

ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. In Plane Switching is a trademark of LG Display Co, LTD. Java is a trademark of Oracle, Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

All other product and brand names are trademarks or registered trademarks of their respective



