47LT770H 42LT770H 37LT770H



# Smart. Compatible. Customizable.

One of the smartest and most compatible Hotel Televisions in the industry.

# Pro: Centric SMART

LG Pro:Centric® Smart offers all the customizable tools needed by our partners to optimize a property's TVs with IP based programs including HTML5, Java and Flash. With this expansion of control comes the ability to provide premium hotel services without the need for a set-top box. Additionally, enhanced connectivity and display sharing are available to the guests with LG Smart TV technology.



Customizable UI\_HTML5 | Java | Flash

## **Extend Connectivity**



Enjoy and share content stored on your laptop, digital cameras, smart phones and other devices to your TV conveniently and seemlessly.













Just like a smart phone, LG Pro:Centric Smart TV now has a Wi-Fi chip built into the system. allowing it greater connectivity and access to and from the TV.



The plug and play function of the Remote Jack Pack enables guests to view media from their portable devices on the hospitality TV screen seemlessly.

Compatibility:







MP3 | Digital Camera | Mobile | Laptop



### Reduced Total Cost of Ownership



With the Pro:Centric server you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit the individual rooms.





EzManager's auto configuration function makes installation quick and easy. EzManager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost.



### Effectively Manage In-Room TVs



From channel selection to energysaving features, control TV settings in all the rooms from the center using Hotel Mode. Prevent misuse by customers, set volume limits, or reset to default settings for any TV.





The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.



## Pro:Centric Applications Platform

The LT770H is the latest in the line of Pro:Centric Televisions that provides a unique and dedicated hotel data broadcasting platform for hosting of LG's SI (System Integrator) partners' interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guest needs.

The LT770H extends the choice of applications available to hoteliers through the introduction of HTML5 support in addition to the current Adobe Flash-Lite and Java support. The LT770H is also a full IPTV platform with built-in IP video decoding supporting both IP and RF connectivity. By leveraging the Pro:Centric IPTV platform, SI partners can integrate their STB (Set Top Box) client software directly on to the Television, eliminating the need for the additional STB hardware.

The LT770H supports embedded Wi-Fi for streaming of content to the Television or back channel communications, or can be used simply as an access point.

The LT770H platform includes support tools for the SI partners to manage their systems such Simple Network Management Protocol (SNMP), to enable monitoring of the TV's on the network by the head-end or cloud based server for maintenance and admin purposes. The Wake-on-LAN features allows the TV to communicate in a background mode while the TV is powered off and without disruption to the guest, providing the ability to deliver remote software updates from the head end server.

#### The LT770H Pro:Centric Applications Platform



Main Welcome Portal



Remote Help Learn how to use the Remote controller with easily accessible menu on TV



Channel Guide
Simple Channel List: Select the broadcast logo to watch your selected TV program



#### nguage

Access the system in multiple languages for international guest service from various nations.

# Pro:Idiom

#### Global Leading Digital Rights Management System

Pro:Idiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is thus designed to lower costs and reduce maintenance needs. This leading DRM system is embraced for its security solution, which prevents illegal copying of copyrighted content.



### LG's Free-To-Guest Cost Effective Solution

When using LG televisions in Free-To-Guest hotel installations there are now two options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

1. Integrated *b*-LAN, plus LG's Free-To-Guest Management Appliance (FMA) 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

#### Hotel Costs For Free-To-Guest Channel Management

|   | Estimated<br>Labor Costs  | <sup>2</sup> MAP price | Total    | Savings over other brand |
|---|---|------------------------|----------|--------------------------|
| Other brand   | \$20 (est.) x 2 times per year<br>(to update channels)<br>x 100 rooms x 5 years |                        | \$20,000 |                          |
| LG Pro:Idiom TV<br>with b-LAN integration<br>plus FMA |   | \$1,999<br>(FMA)       | \$1,999  | \$18,001                 |
| LG Pro:Idiom TV with<br>Pro:Centric Server            |   | \$2,500                | \$2,500  | \$17,500                 |

<sup>&</sup>lt;sup>2</sup> MAP price subject to change.

#### Free-To-Guest Remote Management Devices



Remote management functions also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)



Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:ldiom tuning for Pro:ldiom encrypted content.



# WHEN IT'S GREEN.


LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LT770H televisions have technologies to reduce power consumption and in return increase cost savings per room.


#### **EcoSmart**


- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- CEC Compliant Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 5.3 Qualified Meets current reduction requirements of energy consumption.

### Dimensions


#### 47LT770H





















#### 37LT770H







#### **REAR JACK PANEL**




SIDE JACK PANEL



Anti-Theft System

The Anti-theft system provides foolproof security to prevent TVs theft. Consisting of a Kensington Lock, a Credenza and Lock Down Plate.





### Credenza Hole

Lock the TVs stand to the furniture it is placed on.







47LT770H 42LT770H 37LT770H 47" CLASS (46.9" MEASURED DIAGONALLY)

42" CLASS (42.0" MEASURED DIAGONALLY)

37" CLASS (37.0" MEASURED DIAGONALLY)

| PANEL                                   |   |
|---|---|
| LED Backlighting                        | Edge lit  |
| LCD Panel Type                          | 47" class (46.9" measured diagonally)             |
| 71.                                     | 42" class (42.0" measured diagonally)             |
|   | 37" class (37.0" measured diagonally)             |
| Native Display Resolution               | 1920 x 1080                                       |
| Dynamic Contrast Ratio                  | 4,000,000:1                                       |
| Viewing Angle (HxV)                     | 178°/178°   |
| Response Time (G to G)                  | 8ms   |
| Frame Rate                              | 60Hz  |
| VIDEO                                   |   |
| Built-In Tuner                          | ATSC/NTSC/Clear QAM                               |
| MPEG2/MPEG4                             | Yes   |
| XD Engine                               | Yes   |
| 24p Real Cinema (24p 5:5/2:2 Pull down) |   |
| Eye Care (Anti Dazzling)                | Yes   |
| AUDIO                                   |   |
| Audio Power                             | 20W (10W x 2)                                     |
| Speaker System                          | 1 Way 2 Speakers                                  |
| Speaker System<br>Surround System       | Infinite Sound                                    |
| Invisible Speaker                       | Yes   |
| Clear Voice II                          | Yes   |
| Supporting Codec                        | AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3,        |
|   | PCM, DTS  |
| SPECIAL FEATURES                        | ·   |
| Pro:Centric Platform                    | Yes (Supports Java/Adobe Flash/HTML 5 application |
| Hybrid Streaming (IP & RF)              | Yes   |
| RÉ                                      | 2 Tuner   |
| EzManager                               | Yes   |
| Pro:Idiom                               | Yes   |
| SI Compatible (TVLink Protocol)         | Yes   |
| Embeded b-LAN                           | Yes   |
| WiFi                                    | Yes (built-in)                                    |
| PC Content Sharing                      | Yes   |
| IR Out                                  | Yes (MPI Jack)                                    |
| SIMPLINK                                | Yes   |
| External Speaker Out                    | Yes (Variable, 3.5mm, Stereo, 1W with 8Ω)         |
| RJP Interface                           | Yes (RJ45, HDMI)                                  |
| RJP Compatibility                       | LG (RJ45, HDMI), Teleadapt/G-Link (HDMI)          |
| PIP                                     | Yes   |
| External Power                          | Yes (RS-232C)                                     |
| USB (2.0)                               | Yes (MP3 / JPEG/ HD DivX)                         |
| USB Cloning                             | Yes   |
| WOL (Wake on LAN)                       | Yes   |
| One Channel Map/Logical Channel Map     | Yes   |
| SNMP                                    | Yes   |
| Multi IR Code                           | Yes   |
| Splash Image-Logo (on startup)          | Yes   |
| Auto Off / Auto Sleep                   | Yes   |
| Video Mute                              | Yes   |
| Smart Energy Saving                     | Yes (Backlighting)                                |
| Intelligent Sensor                      | Yes   |
| Anti-theft System                       | Yes   |
| Vancinatan Laak                         | Yes   |
| Credenza/Security Screw Hole            | Yes   |
| INPUTS/OUTPUTS                          |   |
| USB (2.0)                               | 2 Side  |
| RF In                                   | 1 Rear  |
| AV In                                   | 1 Rear  |
| Digital Audio Out (Optical)             | 1 Rear (Optical)                                  |
| HDMI/HDCP Input                         | 2 Rear / 1 Side                                   |
| RGB In (D-sub 15 pin) - PC              | 1 Rear  |
| PC Audio Input                          | 1 Rear  |
| RS-232C                                 | 1 Rear (Service)                                  |
| LAN Port                                | 2 Rear  |
| RJ45 (RJP Interface)                    | 1 Rear  |
| External Speaker Out (3.5mm phone jack) | 1 Regr  |
| Game Port/MPI Jack                      | 1 Rear  |
|   |   |

LGsolutions.com

The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for models 47LT770H, 42LT770H, and 37LT770H are \$16, \$13, & \$12 respectively.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy." FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).




Lincolnshire, IL 60069

**Customer Service:** 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

SPEC\_LT770Hseries\_071224\_PR

LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive





© Copyright 2012 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine, Pro:Centric and EcoSmart are registered trademarks or trademarks of LG Electronics, Inc. Pro:Idiom and MPI are trademarks of Zenith DIRECTV is a registered trademark of DIRECTV, Inc. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI Logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. Dolby and the double-D symbol are registered trademarks of Dolby, Laboratories. Java is a trademark of Oracle, Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. b-LAN is a trademark of LodgeNet Interactive Corporation. All other product and brand names are trademarks or registered trademarks of their respective companies. Printed in the USA. October 2012 LED TV is LCD TV with LED backlighting

EMERGY **GUIDE** 



CABINET

Unit Weight

Dimensions with Stand (W×H×D)

without Stand (W×H×D)

Packaging (W×H×D)

Weight with Packaging

Table Stand Included

Flame Retardant

**ENERGY STAR 5.3** RoHS Compliant CEC Compliant

UPC 37LT770H

42LT770H

47IT770H POWER

Power Source Stand-by

EcoSmart

Power Consumption (typ.) with Power Saving Modes Disabled

Dynamic Power Savings Static Power Savings SERVICE/LIMITED WARRANTY Limited Warranty (Parts/Labor/Backlight) 2 Years Remote Jack Panel Compatibility (RJP)

Compatible Interactive systems

Intelligent Sensor & Backlight Control Yes

LodgeNet.

acentic

Guestiek. NEVOTEK

**REQUIRED LISTINGS** UL, c-UL, NOM

Color VESA Standard Mount Interface



Wi-Fi BUILT-IN











ROOMLINX FISTREAMS















43.3" x 28.7" x 10.8" (47") 39.1" x 26.1" x 10.8" (42") 34.2" x 23.3" x 9.1" (37") 43.3" x 23.8" x 2.1" (47")

39.1" x 23.7" x 2.2" (42" 34.1" x 20.5" x 2.1" (37"

34.2 los (42 ) 24.7 lbs (37") 51.7" × 30.9" × 5.7" (47") 46.5" × 29.3" × 5.3" (42") 44.1" × 26.0" × 5.5" (37")

without Stand 22.0 lbs (47") 29.8 lbs (42")

33.7 lbs (37")

with Stand

38.1 lbs (47") 34 2 lbs (42")

48.3 lbs (47") 41.7 lbs (42" 30.2 lbs (37"

±90° Swivel Flat Black 400 x 400 (47'

200 x 200 (42") 200 x 200 (37"

7 19192 90412 5

7 19192 90413 2 7 19192 90414 9

Under 1W

G-LINK

KoolConnect NXTV Quadriga

Enseo

100~240V 50/60Hz

72.7W (47"), 57.9W (42"), 52.5W (37")

teleadapt

Yes

Yes

Yes Yes











